

99



10 BAR - 150 PSI H.T. - EPR CHEMICAL - WP 10

CHIMICI

Tubo in gomma spiralato liscio idoneo per mandata e aspirazione di prodotti chimici, acidi organici e inorganici anche ad alta concentrazione, sali, basi, chetoni e vernici a base acquosa, idoneo anche per tinture di tessuti.

- Hardwall smooth cover rubber hose** suitable for suction and delivery chemical products, organic and inorganic acids at high concentration too, sales and bases, ketons and water basis paint. Suitable also for dvestuff for cloths.

- www.hiflexitalia.com

102

CHIMICI



Tubo in gomma cord idoneo per mandata di una vasta gamma di prodotti chimici, alimentari, petroliferi e olii.

STRUTTURA

- **Sottostrato:** liscio in polietilene ad altissimo peso molecolare (UHMWPE) antiabrasivo e alimentare secondo F.D.A. e normative alimentari Europee.
- **Rinforzi:** tessuti sintetici ad alta resistenza, cordicella di rame.
- **Copertura:** in gomma nera conduttiva resistente all'abrasione, ai prodotti chimici, agli agenti atmosferici e all'ozono.
- **Superficie:** liscia ad impressione tela.
- **Marcatura:** listino scritta gialla "H.T. - UHMWPE CHEMICAL S&D - FDA - W.P. 16 BAR - 225 PSI - Made in Italy".

Softwall rubber hose suitable delivery of a wide range of chemical, alimentary, petroleum products and oils.

CONSTRUCTION


- **Tube:** smooth, food quality abrasion resistant UHMWPE. According to F.D.A. and European alimentary standards.
- **Reinforcement:** high strength synthetic textile plies, copper wire.
- **Cover:** black, conductive, abrasion, chemical products, weathering and ozone resistant rubber.
- **Surface:** smooth fabric finished.
- **Branding:** yellow transfer tape lettering "H.T. - UHMWPE CHEMICAL S&D - FDA - W.P. 16 BAR - 225 PSI - Made in Italy".

Available on request with coloured covers.

[illegible]

Other diameters and/or pressures are feasible upon request - The characteristics and technical data could be changed without warning.

103



Tubo in gomma spiralato liscio idoneo per aspirazione e mandata di una vasta gamma di prodotti chimici, petroliferi e olii. Utilizzato anche per prodotti alimentari, vegetali, animali e alcolici

- Hardwall smooth cover rubber hose** suitable for suction and delivery of a wide range of chemical, petroleum products and oils. Suitable also for animal, vegetable, food-stuffs and alcoholic drinks.

- 

104



Tubo in gomma spiralato liscio idoneo per aspirazione e mandata di vernici i cui solventi non contengano idrocarburi alifatici, aromatici e clorurati.

STRUTTURA

- **Sottostrato:** liscio in gomma nera speciale resistente alle vernici.
- **Rinforzi:** spirale metallica incorporata con tessuti sintetici ad alta resistenza.
- **Copertura:** in gomma nera resistente all'abrasione, alle vernici, agli agenti atmosferici e all'ozono.
- **Superficie:** liscia ad impressione tela.

Hardwall smooth cover rubber hose suitable for suction and delivery of paints with solvents non containing aromatic, aliphatic and chlorinated hydrocarbons.

- ## CONSTRUCTION

- **Tube:** black, smooth, paints resistant special rubber.
- **Reinforcement:** steel wire helix with high strength synthetic textile plies.
- **Cover:** black, abrasion, paints, weathering and ozone resistant rubber.
- **Surface:** smooth fabric finished.

[illegible]

Other diameters and/or pressures are feasible upon request - The characteristics and technical data could be changed without warning.

H.T. - MULTI PURPOSE - ANTISTATIC - WP 20

