



// NEW POWERTRAK - INSERTI FLANGE SUPERCAT SUPERCAT FLANGES

// 29B830 - FLANGIA SUPERCAT

// 29B830 - FLANGE SUPERCAT



Code	ID			Flange	Flange Size	FD	T	C
	Dash	mm	In	Dash Size		mm	mm	mm
29B830-12-12	12	19,0	3/4"	12	3/4	41,3	14,30	85,5
29B830-16-12	12	19,0	3/4"	16	1	47,6	14,30	85,5
29B830-16-16	16	25,0	1"	16	1	47,6	14,30	94,5
29B830-20-16	16	25,0	1"	20	1 1/4	54,0	14,30	94,5
29B830-20-20	20	32,0	1 1/4"	20	1 1/4	54,0	14,30	92,0
29B830-24-20	20	32,0	1 1/4"	24	1 1/2	63,5	14,30	87,0
29B830-24-24	24	38,0	1 1/2"	24	1 1/2	63,5	14,30	IN PREPARAZ.
29B830-32-32	32	50,0	2"	32	2	79,5	14,30	IN PREPARAZ.




// 29B550 - FLANGIA 30° SUPERCAT

// 29B550 - 30° FLANGE SUPERCAT

Code	ID			F1	F1	FD	T	C	D Drop
	Dash	mm	In	Dash Size		mm	mm	mm	mm
29B550-12-12	12	19,0	3/4"	12	3/4	41,3	14,30	IN PREPARAZ.	IN PREPARAZ.
29B550-16-16	16	25,0	1"	16	1	47,6	14,30	IN PREPARAZ.	IN PREPARAZ.
29B550-20-20	20	32,0	1 1/4"	20	1 1/4	54,0	14,30	IN PREPARAZ.	IN PREPARAZ.
29B550-24-24	24	38,0	1 1/2"	24	1 1/2	63,5	14,30	IN PREPARAZ.	IN PREPARAZ.
29B550-32-32	32	50,0	2"	32	2	79,5	14,30	IN PREPARAZ.	IN PREPARAZ.

// 29B510 - FLANGIA 45° SUPERCAT


// 29B510 - 45° FLANGE SUPERCAT



Code	ID			Flange	Flange Size	FD	T	C	D Drop
	Dash	mm	In	Dash Size		mm	mm	mm	mm
29B510-12-12	12	19,0	3/4"	12	3/4	41,3	14,30	107,0	34,0
29B510-16-12	12	19,0	3/4"	16	1	47,6	14,30	112,0	34,0
29B510-16-16	16	25,0	1"	16	1	47,6	14,30	129,0	42,5
29B510-20-16	16	25,0	1"	20	1 1/4	54,0	14,30	128,0	40,0
29B510-20-20	20	32,0	1 1/4"	20	1 1/4	54,0	14,30	150,0	45,1
29B510-24-20	20	32,0	1 1/4"	24	1 1/2	63,5	14,30	152,0	60,0
29B510-24-24	24	38,0	1 1/2"	24	1 1/2	63,5	14,30	IN PREPARAZ.	IN PREPARAZ.
29B510-32-32	32	50,0	2"	32	2	79,5	14,30	IN PREPARAZ.	IN PREPARAZ.

// 29B560 - FLANGIA 60° SUPERCAT


// 29B560 - 60° FLANGE SUPERCAT



Code	ID			Flange	Flange Size	FD	T	C	D Drop
	Dash	mm	In	Dash Size		mm	mm	mm	mm
29B560-12-12	12	19,0	3/4"	12	3/4	41,3	14,30	IN PREPARAZ.	IN PREPARAZ.
29B560-16-16	16	25,0	1"	16	1	47,6	14,30	IN PREPARAZ.	IN PREPARAZ.
29B560-20-20	20	32,0	1 1/4"	20	1 1/4	54,0	14,30	IN PREPARAZ.	IN PREPARAZ.
29B560-24-24	24	38,0	1 1/2"	24	1 1/2	63,5	14,30	IN PREPARAZ.	IN PREPARAZ.
29B560-32-32	32	50,0	2"	32	2	79,5	14,30	IN PREPARAZ.	IN PREPARAZ.

// 29B520 - FLANGIA 90° SUPERCAT

// 29B520 - 90° FLANGE SUPERCAT



Code	ID			Flange	Flange Size	FD	T	C	D Drop
	Dash	mm	In	Dash Size		mm	mm	mm	mm
29B520-12-12	12	19,0	3/4"	12	3/4	41,3	14,30	67,2	67,0
29B520-16-12	12	19,0	3/4"	16	1	47,6	14,30	68,7	70,0
29B520-16-16	16	25,0	1"	16	1	47,6	14,30	84,8	79,0
29B520-20-16	16	25,0	1"	20	1 1/4	54,0	14,30	79,8	82,5
29B520-20-20	20	32,0	1 1/4"	20	1 1/4	54,0	14,30	97,0	93,0
29B520-24-20	20	32,0	1 1/4"	24	1 1/2	63,5	14,30	97,0	101,0
29B520-24-24	24	38,0	1 1/2"	24	1 1/2	63,5	14,30	IN PREPARAZ.	IN PREPARAZ.
29B520-32-32	32	50,0	2"	32	2	79,5	14,30	IN PREPARAZ.	IN PREPARAZ.