


## // SUPERTRAK - INSERTI FLANGE SAE SAE FLANGES

// 550250 - FLANGIA SAE 3000 PSI J518 CODE 61 - SFL


// FLANGE SAE 3000 PSI J518 CODE 61 - SFL



Code	ID			Flange	Flange Size	FD	T	C	WP
	Dash	mm	In	Dash Size		mm	mm	mm	psi
550250-08-08	08	13,0	1/2"	08	1/2	30,2	6,5	41,0	5000
550250-12-08	08	13,0	1/2"	12	3/4	38,1	6,5	42,0	5000
550250-12-10	10	16,0	5/8"	12	3/4	38,1	6,5	42,2	5000
550250-12-12	12	19,0	3/4"	12	3/4	38,1	6,5	42,5	5000
550250-16-12	12	19,0	3/4"	16	1	44,5	8,0	50,5	5000
550250-16-16	16	25,0	1"	16	1	44,5	8,0	51,4	5000
550250-20-16	16	25,0	1"	20	1 1/4	50,8	8,0	53,9	4000
550250-16-20	20	32,0	1 1/4"	16	1	44,5	8,0	53,0	5000
550250-20-20	20	32,0	1 1/4"	20	1 1/4	50,8	8,0	55,5	4000
550250-24-20	20	32,0	1 1/4"	24	1 1/2	60,3	8,0	58,5	3000
550250-24-24	24	38,0	1 1/2"	24	1 1/2	60,3	8,0	58,5	3000
550250-32-24	24	38,0	1 1/2"	32	2	71,4	9,5	70,0	3000
550250-24-32	32	51,0	2"	24	1 1/2	60,3	8,0	66,0	3000
550250-32-32	32	51,0	2"	32	2	71,4	9,5	70,0	3000
550250-40-32	32	51,0	2"	40	2 1/2	84,1	9,5	83,0	2500
550250-32-40	40	63,0	2 1/2"	32	2	71,4	9,5	86,5	3000
550250-40-40	40	63,0	2 1/2"	40	2 1/2	84,1	9,5	86,5	2500


// 550740 - FLANGIA 22° SAE 3000 PSI J518 CODE 61 - SFL 22

// 22° FLANGE SAE 3000 PSI J518 CODE 61 - SFL 22




Code	ID			Flange	Flange Size	FD	T	C	D Drop	WP
	Dash	mm	In	Dash Size		mm	mm	mm	mm	psi
550740-16-16	16	25,0	1"	16	1	44,5	8,0	92,7	12,0	5000
550740-20-20	20	32,0	1 1/4"	20	1 1/4	50,8	8,0	113,6	16,0	4000
550740-24-20	20	32,0	1 1/4"	24	1 1/2	60,3	8,0	114,7	20,5	3000
550740-24-24	24	38,0	1 1/2"	24	1 1/2	60,3	8,0	131,0	22,0	3000
550740-32-32	32	51,0	2"	32	2	71,4	9,5	153,0	30,0	3000

**// 550770 - FLANGIA 30° SAE 3000 PSI J518 CODE 61 - SFL 30**  
**// 30° FLANGE SAE 3000 PSI J518 CODE 61 - SFL 30**




Code	ID			Flange	Flange Size	FD	T	C	D Drop	WP
	Dash	mm	In	Dash Size		mm	mm	mm	mm	psi
550770-12-12	12	19,0	3/4"	12	3/4	38,1	6,5	80,8	12,0	5000
550770-16-12	12	19,0	3/4"	16	1	44,5	8,0	83,8	12,0	5000
550770-16-16	16	25,0	1"	16	1	44,5	8,0	89,8	12,0	5000
550770-20-16	16	25,0	1"	20	1 1/4	50,8	8,0	90,0	12,0	4000
550770-20-20	20	32,0	1 1/4"	20	1 1/4	50,8	8,0	102,4	12,0	4000
550770-24-20	20	32,0	1 1/4"	24	1 1/2	60,3	8,0	111,9	13,0	3000
550770-24-24	24	38,0	1 1/2"	24	1 1/2	60,3	8,0	128,6	23,0	3000
550770-32-24	24	38,0	1 1/2"	32	2	71,4	9,5	147,0	29,5	3000

**// 550680 - FLANGIA 45° SAE 3000 PSI J518 CODE 61 - SFL 45**  
**// 45° FLANGE SAE 3000 PSI J518 CODE 61 - SFL 45**




Code	ID			Flange	Flange Size	FD	T	C	D Drop	WP
	Dash	mm	In	Dash Size		mm	mm	mm	mm	psi
550680-08-08	08	13,0	1/2"	08	1/2	30,2	6,5	52,9	22,0	5000
550680-12-08	08	13,0	1/2"	12	3/4	38,1	6,5	60,3	26,0	5000
550680-12-12	12	19,0	3/4"	12	3/4	38,1	6,5	73,7	32,0	5000
550680-16-12	12	19,0	3/4"	16	1	44,5	8,0	77,9	29,0	5000
550680-20-12	12	19,0	3/4"	20	1 1/4	50,8	8,0	81,5	30,0	5000
550680-16-16	16	25,0	1"	16	1	44,5	8,0	82,7	33,5	5000
550680-20-16	16	25,0	1"	20	1 1/4	50,8	8,0	82,2	36,0	4000
550680-16-20	20	32,0	1 1/4"	16	1	44,5	8,0	114,6	35,1	5000
550680-20-20	20	32,0	1 1/4"	20	1 1/4	50,8	8,0	95,1	37,5	4000
550680-24-20	20	32,0	1 1/4"	24	1 1/2	60,3	8,0	104,1	40,0	3000
550680-20-24	24	38,0	1 1/2"	20	1 1/4	50,8	8,0	144,9	49,5	4000
550680-24-24	24	38,0	1 1/2"	24	1 1/2	60,3	8,0	116,7	48,0	3000
550680-32-24	24	38,0	1 1/2"	32	2	71,4	9,5	135,6	55,5	3000
550680-32-32	32	51,0	2"	32	2	71,4	9,5	140,8	47,5	3000
550680-40-40	40	63,0	2 1/2"	40	2 1/2	84,1	9,5	139,0	53,0	2500

**// 55A120 - FLANGIA 60° SAE 3000 PSI J518 CODE 61 - SFL 60**  
**// 60° FLANGE SAE 3000 PSI J518 CODE 61 - SFL 60**




Code	ID			Flange	Flange Size	FD	T	C	D Drop	WP
	Dash	mm	In	Dash Size		mm	mm	mm	mm	psi
55A120-12-12	12	19,0	3/4"	12	3/4	38,1	6,5	85,7	37,0	5000
55A120-16-16	16	25,0	1"	16	1	44,5	8,0	101,0	47,0	5000
55A120-20-16	16	25,0	1"	20	1 1/4	50,8	8,0	106,6	43,5	4000
55A120-20-20	20	32,0	1 1/4"	20	1 1/4	50,8	8,0	129,5	56,5	4000
55A120-24-24	24	38,0	1 1/2"	24	1 1/2	60,3	8,0	151,5	57,0	3000
55A120-32-32	32	51,0	2"	32	2	71,4	9,5	173,0	92,0	3000

**// 550580 - FLANGIA 90° SAE 3000 PSI J518 CODE 61 - SFL 90**  
**// 90° FLANGE SAE 3000 PSI J518 CODE 61 - SFL 90**




Code	ID			Flange	Flange Size	FD	T	C	D Drop	WP
	Dash	mm	In	Dash Size		mm	mm	mm	mm	psi
550580-08-08	08	13,0	1/2"	08	1/2	30,2	6,5	45,8	42,0	5000
550580-12-08	08	13,0	1/2"	12	3/4	38,1	6,5	45,3	51,0	5000
550580-12-10	10	16,0	5/8"	12	3/4	38,1	6,5	49,4	51,0	5000
550580-12-12	12	19,0	3/4"	12	3/4	38,1	8,0	59,7	58,0	5000
550580-16-12	12	19,0	3/4"	16	1	44,5	8,0	66,2	64,5	5000
550580-20-12	12	19,0	3/4"	20	1 1/4	50,8	8,0	69,7	60,0	4000
550580-16-16	16	25,0	1"	16	1	44,5	8,0	70,6	67,0	5000
550580-20-16	16	25,0	1"	20	1 1/4	50,8	8,0	73,6	71,0	4000
550580-24-16	16	25,0	1"	24	1 1/2	60,3	8,0	93,1	75,0	3000
550580-16-20	20	32,0	1 1/4"	16	1	44,5	8,0	94,4	65,0	5000
550580-20-20	20	32,0	1 1/4"	20	1 1/4	50,8	8,0	88,0	84,0	4000
550580-24-20	20	32,0	1 1/4"	24	1 1/2	60,3	8,0	91,5	87,5	3000
550580-20-24	24	38,0	1 1/2"	20	1 1/4	50,8	8,0	93,6	93,0	4000
550580-24-24	24	38,0	1 1/2"	24	1 1/2	60,3	8,0	104,8	91,0	3000
550580-32-24	24	38,0	1 1/2"	32	2	71,4	9,5	104,8	115,0	3000
550580-24-32	32	51,0	2"	24	1 1/2	60,3	8,0	132,8	133,0	3000
550580-32-32	32	51,0	2"	32	2	71,4	9,5	129,3	130,0	3000
550580-40-32	32	51,0	2"	40	2 1/2	84,1	9,5	103,0	100,0	2500
550580-40-40	40	63,0	2 1/2"	40	2 1/2	84,1	9,5	137,2	125,0	2500

**// 551590 - FLANGIA SAE 6000 PSI J518 CODE 62**  
**// FLANGE SAE 6000 PSI J518 CODE 62**




Code	ID			Flange	Flange Size	FD	T	C	WP
	Dash	mm	In	Dash Size		mm	mm	mm	psi
551590-08-08	08	13,0	1/2"	08	1/2	31,8	8,0	47,0	6000
551590-12-08	08	13,0	1/2"	12	3/4	41,3	9,0	52,0	6000
551590-12-10	10	16,0	5/8"	12	3/4	41,3	9,0	52,2	6000
551590-12-12	12	19,0	3/4"	12	3/4	41,3	9,0	52,5	6000
551590-16-12	12	19,0	3/4"	16	1	47,6	9,5	55,5	6000
551590-12-16	16	25,0	1"	12	3/4	41,3	9,0	56,4	6000
551590-16-16	16	25,0	1"	16	1	47,6	9,5	56,4	6000
551590-20-16	16	25,0	1"	20	1 1/4	54,0	10,5	63,4	6000
551590-20-20	20	32,0	1 1/4"	20	1 1/4	54,0	10,5	83,0	6000
551590-24-20	20	32,0	1 1/4"	24	1 1/2	63,5	12,5	71,0	6000
551590-24-24	24	38,0	1 1/2"	24	1 1/2	63,5	12,5	101,0	6000
551590-32-24	24	38,0	1 1/2"	32	2	79,4	12,5	76,0	6000
551590-32-32	32	51,0	2"	32	2	79,4	12,5	76,0	6000

**// 551610 - FLANGIA 45° SAE 6000 PSI J518 CODE 62 - SFS 45**  
**// 45° FLANGE SAE 6000 PSI J518 CODE 62 - SFS 45**




Code	ID			Flange	Flange Size	FD	T	C	D Drop	WP
	Dash	mm	In	Dash Size		mm	mm	mm	mm	psi
551610-08-08	08	13,0	1/2"	08	1/2	31,8	8,0	56,5	23,0	6000
551610-12-08	08	13,0	1/2"	12	3/4	41,3	9,0	79,9	30,5	6000
551610-12-10	10	16,0	5/8"	12	3/4	41,3	9,0	69,0	31,0	6000
551610-12-12	12	19,0	3/4"	12	3/4	41,3	9,0	84,1	31,0	6000
551610-16-12	12	19,0	3/4"	16	1	47,6	9,5	80,0	33,5	6000
551610-16-16	16	25,0	1"	16	1	47,6	9,5	96,7	36,0	6000
551610-20-16	16	25,0	1"	20	1 1/4	54,0	10,5	96,1	39,0	6000
551610-20-20	20	32,0	1 1/4"	20	1 1/4	54,0	10,5	108,6	40,0	6000
551610-24-20	20	32,0	1 1/4"	24	1 1/2	63,5	12,5	114,8	45,5	6000
551610-24-24	24	38,0	1 1/2"	24	1 1/2	63,5	12,5	122,9	45,0	6000
551610-32-32	32	51,0	2"	32	2	79,4	12,5	156,6	60,0	6000

**// 551600 - FLANGIA 90° SAE 6000 PSI J518 CODE 62 - SFS 90**  
**// 90° FLANGE SAE 6000 PSI J518 CODE 62 - SFS 90**




Code	ID			Flange	Flange Size	FD	T	C	D Drop	WP
	Dash	mm	In	Dash Size		mm	mm	mm	mm	psi
551600-08-08	08	13,0	1/2"	08	1/2	31,8	8,0	47,8	46,0	6000
551600-12-08	08	13,0	1/2"	12	3/4	41,3	9,0	47,8	54,0	6000
551600-08-10	10	16,0	5/8"	08	1/2	31,8	8,0	50,0	52,0	6000
551600-12-10	10	16,0	5/8"	12	3/4	41,3	9,0	49,9	55,0	6000
551600-12-12	12	19,0	3/4"	12	3/4	41,3	9,0	63,2	61,0	6000
551600-16-12	12	19,0	3/4"	16	1	47,6	9,5	63,2	66,0	6000
551600-12-16	16	25,0	1"	12	3/4	41,3	9,0	72,6	61,0	6000
551600-16-16	16	25,0	1"	16	1	47,6	9,5	73,6	75,0	6000
551600-20-16	16	25,0	1"	20	1 1/4	54,0	10,5	77,6	78,0	6000
551600-20-20	20	32,0	1 1/4"	20	1 1/4	54,0	10,5	94,5	89,0	6000
551600-24-20	20	32,0	1 1/4"	24	1 1/2	63,5	12,5	98,0	94,0	6000
551600-24-24	24	38,0	1 1/2"	24	1 1/2	63,5	12,5	99,6	105,0	6000
551600-32-24	24	38,0	1 1/2"	32	2	79,4	12,5	116,9	123,0	6000
551600-32-32	32	51,0	2"	32	2	79,4	12,5	143,3	132,0	6000

**// OV2860 - SEMIFLANGIA SAE 3000 PSI J518 CODE 61 - FHL**  
**// SPLIT FLANGE CLAMP 3000 PSI J518 CODE 61 - FHL**




Code	ID	FD	V	H	Q
	Dash	In	mm	mm	mm
OV2860-08	08	1/2"	38,1	8,7	30,2
OV2860-12	12	3/4"	47,6	11,1	38,0
OV2860-16	16	1"	52,4	13,1	44,5
OV2860-20	20	1 1/4"	58,7	15,1	50,8
OV2860-24	24	1 1/2"	69,9	17,9	60,3
OV2860-32	32	2"	77,8	21,4	71,5
OV2860-40	40	2 1/2"	89,0	25,5	84,1
OV2860-48	48	3"	106,0	31,0	101,6
OV2860-56	56	3 1/2"	120,0	35,0	115,0
OV2860-64	64	4"	130,0	39,0	127,0

**// OV5910 - SEMIFLANGIA SAE 6000 PSI J518 CODE 62**  
**// SPLIT FLANGE CLAMP 6000 PSI J518 CODE 62**




Code	ID	FD	V	H	Q
	Dash	In	mm	mm	mm
OV5910-08	08	1/2"	40,5	9,1	31,8
OV5910-12	12	3/4"	50,8	11,9	41,3
OV5910-16	16	1"	57,2	13,9	47,6
OV5910-20	20	1 1/4"	66,7	15,9	54,0
OV5910-24	24	1 1/2"	79,4	18,3	63,5
OV5910-32	32	2"	96,8	22,2	79,5

**// OV3860 - SEMIFLANGIA INTERA SAE 3000 PSI 4 FORI J518 CODE 61 - VHL**  
**// 4 HOLE FLANGE CLAMP 3000 PSI J518 CODE 61 - VHL**



Code	ID	FD	V	H	Q
	Dash	In	mm	mm	mm
OV3860-12	12	3/4"	47,6	22,2	38,0
OV3860-16	16	1"	52,4	26,2	44,5
OV3860-20	20	1 1/4"	58,7	30,2	50,8
OV3860-24	24	1 1/2"	69,9	35,8	60,3
OV3860-32	32	2"	77,8	42,8	84,1

**// OV6910 - SEMIFLANGIA INTERA SAE 6000 PSI 4 FORI J518 CODE 62 - VHS**  
**// 4 HOLE FLANGE CLAMP 6000 PSI J518 CODE 62 - VHS**



Code	ID	FD	V	H	Q
	Dash	In	mm	mm	mm
OV6910-08	08	1/2"	40,5	18,2	31,8
OV6910-12	12	3/4"	50,8	23,8	41,3
OV6910-16	16	1"	57,2	27,8	47,6
OV6910-20	20	1 1/4"	66,7	31,8	54,0
OV6910-24	24	1 1/2"	79,4	36,6	63,5
OV6910-32	32	2"	96,8	44,4	79,5