



// **SUPERTRAK - INSERTI BSP** *BSP INSERTS*// **550120 - MASCHIO BSPP CILINDRICO SV. 60° - AGR**// **BSPP MALE 60° FLARE - AGR**


Code	Nut Type	ID			F1	F1	C	CH
		Dash	mm	In	Dash Size		mm	mm
550120-02-03	NA	03	5,0	3/16"	02	1/8-28	20,3	14,0
550120-02-04	NA	04	6,0	1/4"	02	1/8-28	20,8	14,0
550120-04-04	NA	04	6,0	1/4"	04	1/4-19	26,3	19,0
550120-06-04	NA	04	6,0	1/4"	06	3/8-19	27,8	22,0
550120-08-04	NA	04	6,0	1/4"	08	1/2-14	31,3	27,0
550120-04-05	NA	05	8,0	5/16"	04	1/4-19	26,3	19,0
550120-06-05	NA	05	8,0	5/16"	06	3/8-19	27,8	22,0
550120-08-05	NA	05	8,0	5/16"	08	1/2-14	31,3	27,0
550120-04-06	NA	06	10,0	3/8"	04	1/4-19	26,3	19,0
550120-06-06	NA	06	10,0	3/8"	06	3/8-19	27,8	22,0
550120-08-06	NA	06	10,0	3/8"	08	1/2-14	31,3	27,0
550120-06-08	NA	08	13,0	1/2"	06	3/8-19	28,6	22,0
550120-08-08	NA	08	13,0	1/2"	08	1/2-14	32,1	27,0
550120-10-08	NA	08	13,0	1/2"	10	5/8-14	34,1	30,0
550120-12-08	NA	08	13,0	1/2"	12	3/4-14	36,1	32,0
550120-08-10	NA	10	16,0	5/8"	08	1/2-14	32,1	27,0
550120-10-10	NA	10	16,0	5/8"	10	5/8-14	34,1	30,0
550120-12-10	NA	10	16,0	5/8"	12	3/4-14	36,1	32,0
550120-12-12	NA	12	19,0	3/4"	12	3/4-14	36,6	32,0
550120-16-12	NA	12	19,0	3/4"	16	1-11	41,6	41,0
550120-16-16	NA	16	25,0	1"	16	1-11	42,4	41,0
550120-20-16	NA	16	25,0	1"	20	1 1/4-11	46,4	50,0
550120-20-20	NA	20	32,0	1 1/4"	20	1 1/4-11	48,0	50,0
550120-24-24	NA	24	38,0	1 1/2"	24	1 1/2-11	51,0	55,0
550120-32-32	NA	32	51,0	2"	32	2-11	56,5	70,0

// **550130 - MASCHIO BSPP CILINDRICO SEDE PIANA - AGR FD**// **BSPP MALE FLAT SEAT - AGR FD**

Code	Nut Type	ID			F1	F1	C	CH
		Dash	mm	In	Dash Size		mm	mm
550130-04-04	NA	04	6,0	1/4"	04	1/4-19	26,3	19,0
550130-06-06	NA	06	10,0	3/8"	06	3/8-19	27,8	22,0
550130-08-06	NA	06	10,0	3/8"	08	1/2-14	31,3	27,0
550130-08-08	NA	08	13,0	1/2"	08	1/2-14	32,1	27,0
550130-10-10	NA	10	16,0	5/8"	10	5/8-14	36,1	30,0
550130-12-12	NA	12	19,0	3/4"	12	3/4-14	34,6	32,0
550130-16-12	NA	12	19,0	3/4"	16	1-11	39,6	41,0
550130-16-16	NA	16	25,0	1"	16	1-11	40,4	41,0

// 550150 - MASCHIO BSPT CONICO - AGR K


// BSPT MALE - AGR K



Code	Nut Type	ID			F1		C	CH
		Dash	mm	In	Dash size	F1		
550150-02-03	NA	03	5,0	3/16"	02	1/8-28	20,8	12,0
550150-02-04	NA	04	6,0	1/4"	02	1/8-28	21,3	12,0
550150-04-04	NA	04	6,0	1/4"	04	1/4-19	26,8	17,0
550150-06-04	NA	04	6,0	1/4"	06	3/8-19	27,8	19,0
550150-04-05	NA	05	8,0	5/16"	04	1/4-19	26,8	17,0
550150-06-05	NA	05	8,0	5/16"	06	3/8-19	27,8	19,0
550150-04-06	NA	06	10,0	3/8"	04	1/4-19	26,8	17,0
550150-06-06	NA	06	10,0	3/8"	06	3/8-19	27,8	19,0
550150-08-06	NA	06	10,0	3/8"	08	1/2-14	32,3	22,0
550150-06-08	NA	08	13,0	1/2"	06	3/8-19	28,6	19,0
550150-08-08	NA	08	13,0	1/2"	08	1/2-14	33,1	22,0
550150-12-10	NA	10	16,0	5/8"	12	3/4-14	34,1	27,0
550150-12-12	NA	12	19,0	3/4"	12	3/4-14	34,6	27,0
550150-16-12	NA	12	19,0	3/4"	16	1-11	43,6	36,0
550150-12-16	NA	16	25,0	1"	12	3/4-14	37,4	32,0
550150-16-16	NA	16	25,0	1"	16	1-11	44,4	36,0
550150-20-20	NA	20	32,0	1 1/4"	20	1 1/4-11	49,0	46,0
550150-24-24	NA	24	38,0	1 1/2"	24	1 1/2-11	50,5	50,0
550150-32-32	NA	32	51,0	2"	32	2-11	54,2	65,0

// A55001 - FEMMINA BSPP SV. 60° CON O'RING - DKOR


// BSPP FEMALE 60° CONE WITH O'RING - DKOR



Code	Nut Type	ID			F1	F1	C	CH1
		Dash	mm	In	Dash size		mm	mm
A55001-02-03	CR	03	5,0	3/16"	02	1/8-28	14,3	14,0
A55001-04-03	SN	03	5,0	3/16"	04	1/4-19	20,3	19,0
A55001-02-04	CR	04	6,0	1/4"	02	1/8-28	14,7	14,0
A55001-04-04	SN	04	6,0	1/4"	04	1/4-19	20,8	19,0
A55001-06-04	SN	04	6,0	1/4"	06	3/8-19	23,3	22,0
A55001-04-05	CR	05	8,0	5/16"	04	1/4-19	17,3	19,0
A55001-06-05	SN	05	8,0	5/16"	06	3/8-19	23,3	22,0
A55001-04-06	CR	06	10,0	3/8"	04	1/4-19	17,3	19,0
A55001-06-06	SN	06	10,0	3/8"	06	3/8-19	23,3	22,0
A55001-08-06	SN	06	10,0	3/8"	08	1/2-14	24,3	27,0
A55001-06-08	CR	08	13,0	1/2"	06	3/8-19	18,6	22,0
A55001-08-08	SN	08	13,0	1/2"	08	1/2-14	25,1	27,0
A55001-10-08	SN	08	13,0	1/2"	10	5/8-14	28,4	27,0
A55001-12-08	SN	08	13,0	1/2"	12	3/4-14	29,0	32,0
A55001-10-10	CR	10	16,0	5/8"	10	5/8-14	17,1	27,0
A55001-12-10	SN	10	16,0	5/8"	12	3/4-14	29,0	32,0
A55001-12-12	CR	12	19,0	3/4"	12	3/4-14	23,9	32,0
A55001-16-12	SN	12	19,0	3/4"	16	1-11	34,0	38,0
A55001-16-16	CR	16	25,0	1"	16	1-11	23,9	38,0
A55001-20-16	SN	16	25,0	1"	20	1 1/4-11	39,4	50,0
A55001-20-20	TN	20	32,0	1 1/4"	20	1 1/4-11	32,0	50,0
A55001-24-20	SN	20	32,0	1 1/4"	24	1 1/2-11	41,9	55,0
A55001-24-24	TN	24	38,0	1 1/2"	24	1 1/2-11	33,8	55,0
A55001-32-24	SN	24	38,0	1 1/2"	32	2-11	47,0	70,0
A55001-32-32	TN	32	51,0	2"	32	2-11	34,0	70,0


// A55002 - FEMMINA BSPP SV. 60° SENZA O'RING - DKR

// BSPP FEMALE 60° CONE WITHOUT O'RING - DKR




Code	Nut Type	ID			F1	F1	C	CH1
		Dash	mm	In	Dash size		mm	mm
A55002-04-04	SN	04	6,0	1/4"	04	1/4-19	20,8	19,0
A55002-06-06	SN	06	10,0	3/8"	06	3/8-19	23,3	22,0
A55002-08-08	SN	08	13,0	1/2"	08	1/2-14	25,1	27,0
A55002-10-10	CR	10	16,0	5/8"	10	5/8-14	17,1	27,0
A55002-12-12	CR	12	19,0	3/4"	12	3/4-14	23,9	32,0
A55002-16-16	CR	16	25,0	1"	16	1-11	23,9	38,0

// A55061 - FEMMINA 45° BSPP SV. 60° CON O'RING - DKOR 45
// 45° BSPP FEMALE 60° CONE WITH O'RING - DKOR 45



Code	Nut Type	ID			F1		C	D Drop	CH1
		Dash	mm	In	Dash size	F1			
A55061-04-04	SN	04	6,0	1/4"	04	1/4-19	45,5	15,0	19,0
A55061-06-04	SN	04	6,0	1/4"	06	3/8-19	41,5	17,5	22,0
A55061-04-05	CR	05	8,0	5/16"	04	1/4-19	19,0	17,5	19,0
A55061-06-05	SN	05	8,0	5/16"	06	3/8-19	45,1	18,5	22,0
A55061-06-06	SN	06	10,0	3/8"	06	3/8-19	49,9	20,5	22,0
A55061-08-06	SN	06	10,0	3/8"	08	1/2-14	45,7	21,0	27,0
A55061-08-08	SN	08	13,0	1/2"	08	1/2-14	55,0	21,0	27,0
A55061-10-08	SN	08	13,0	1/2"	10	5/8-14	57,2	23,0	27,0
A55061-12-08	SN	08	13,0	1/2"	12	3/4-14	56,7	23,0	32,0
A55061-10-10	CR	10	16,0	5/8"	10	5/8-14	64,0	21,5	27,0
A55061-12-10	SN	10	16,0	5/8"	12	3/4-14	66,5	22,5	32,0
A55061-12-12	CR	12	19,0	3/4"	12	3/4-14	70,0	28,0	32,0
A55061-16-12	SN	12	19,0	3/4"	16	1-11	74,6	31,5	38,0
A55061-16-16	CR	16	25,0	1"	16	1-11	84,0	34,0	38,0
A55061-20-16	SN	16	25,0	1"	20	1 1/4-11	97,0	47,5	50,0
A55061-20-20	TN	20	32,0	1 1/4"	20	1 1/4-11	100,8	40,0	50,0
A55061-24-24	TN	24	38,0	1 1/2"	24	1 1/2-11	115,7	46,0	55,0
A55061-32-32	TN	32	51,0	2"	32	2-11	151,5	60,0	70,0


// A55062 - FEMMINA 45° BSPP SV. 60° SENZA O'RING - DKR
// 45° BSPP FEMALE 60° CONE WITHOUT O'RING - DKR



Code	Nut Type	ID			F1		C	D Drop	CH1
		Dash	mm	In	Dash size	F1			
A55062-04-04	SN	04	6,0	1/4"	04	1/4-19	45,5	15,0	19,0
A55062-06-06	SN	06	10,0	3/8"	06	3/8-19	49,9	20,5	22,0
A55062-08-08	SN	08	13,0	1/2"	08	1/2-14	55,0	21,0	27,0
A55062-10-10	CR	10	16,0	5/8"	10	5/8-14	64,0	21,5	27,0
A55062-12-12	CR	12	19,0	3/4"	12	3/4-14	70,0	28,0	32,0
A55062-16-16	CR	16	25,0	1"	16	1-11	84,0	34,0	38,0

// A55051 - FEMMINA 90° BSPP SV. 60° CON O'RING - DKOR 90


// 90° BSPP FEMALE 60° CONE WITH O'RING - DKOR 90



Code	Nut Type	ID			F1	F1	C	D Drop	CH1
		Dash	mm	In	Dash Size		mm	mm	mm
A55051-02-03	CR	03	5,0	3/16"	02	1/8-28	24,0	30,0	14,0
A55051-02-04	CR	04	6,0	1/4"	02	1/8-28	30,5	32,0	14,0
A55051-04-04	SN	04	6,0	1/4"	04	1/4-19	29,3	29,0	19,0
A55051-06-04	SN	04	6,0	1/4"	06	3/8-19	29,8	31,0	22,0
A55051-06-05	SN	05	8,0	5/16"	06	3/8-19	33,2	36,0	22,0
A55051-06-06	SN	06	10,0	3/8"	06	3/8-19	34,8	42,0	22,0
A55051-08-06	SN	06	10,0	3/8"	08	1/2-14	34,3	35,5	27,0
A55051-06-08	CR	08	13,0	1/2"	06	3/8-19	35,3	43,0	22,0
A55051-08-08	SN	08	13,0	1/2"	08	1/2-14	35,8	41,0	27,0
A55051-10-08	SN	08	13,0	1/2"	10	5/8-14	41,6	43,5	27,0
A55051-12-08	SN	08	13,0	1/2"	12	3/4-14	41,8	43,0	32,0
A55051-10-10	CR	10	16,0	5/8"	10	5/8-14	47,9	47,0	27,0
A55051-12-10	SN	10	16,0	5/8"	12	3/4-14	51,9	49,0	32,0
A55051-12-12	CR	12	19,0	3/4"	12	3/4-14	49,1	53,0	32,0
A55051-16-12	SN	12	19,0	3/4"	16	1-11	54,1	60,5	38,0
A55051-16-16	CR	16	25,0	1"	16	1-11	75,1	69,0	38,0
A55051-20-16	SN	16	25,0	1"	20	1 1/4-11	75,1	88,5	50,0
A55051-20-20	TN	20	32,0	1 1/4"	20	1 1/4-11	82,3	83,0	50,0
A55051-24-20	SN	20	32,0	1 1/4"	24	1 1/2-11	101,0	83,0	55,0
A55051-24-24	TN	24	38,0	1 1/2"	24	1 1/2-11	95,7	96,0	55,0
A55051-32-24	SN	24	38,0	1 1/2"	32	2-11	107,8	104,0	70,0
A55051-32-32	TN	32	51,0	2"	32	2-11	128,5	136,0	70,0


// A55052 - FEMMINA 90° BSPP SV. 60° SENZA O'RING- DKR

// 90° BSPP FEMALE 60° CONE WITHOUT O'RING - DKR




Code	Nut Type	ID			F1	F1	C	D Drop	CH1
		Dash	mm	In	Dash Size		mm	mm	mm
A55052-04-04	SN	04	6,0	1/4"	04	1/4-19	29,3	29,0	19,0
A55052-06-06	SN	06	10,0	3/8"	06	3/8-19	34,8	42,0	22,0
A55052-08-08	SN	08	13,0	1/2"	08	1/2-14	35,8	41,0	27,0
A55052-10-10	CR	10	16,0	5/8"	10	5/8-14	47,9	47,0	27,0
A55052-12-12	CR	12	19,0	3/4"	12	3/4-14	49,1	53,0	32,0
A55052-16-16	CR	16	25,0	1"	16	1-11	75,1	69,0	38,0

// A55180 - FEMMINA 90° COMPATTA BSPP SV. 60° - DKR 90
// 90° COMPACT BSPP FEMALE 60° CONE - DKR 90



Code	Nut Type	ID			F1		C	D Drop	CH1
		Dash	mm	In	Dash size	F1			
A55180-04-04	CR	04	6,0	1/4"	04	1/4-19	16,8	19,5	19,0
A55180-06-06	CR	06	10,0	3/8"	06	3/8-19	18,8	22,0	22,0
A55180-08-06	CR	06	10,0	3/8"	08	1/2-14	21,5	22,5	27,0
A55180-08-08	CR	08	13,0	1/2"	08	1/2-14	22,6	24,5	27,0
A55180-12-12	CR	12	19,0	3/4"	12	3/4-14	26,7	31,0	32,0
A55180-16-16	CR	16	25,0	1"	16	1-11	34,5	27,5	38,0


// A55003 - FEMMINA SEDE PIANA BSPP - DKR FD
// BSPP FEMALE FLAT SEAT - DKR FD



Code	Nut Type	ID			F1		C	CH1
		Dash	mm	In	Dash size	F1		
A55003-04-04	SN	04	6,0	1/4"	04	1/4-19	20,3	19,0
A55003-06-06	SN	06	10,0	3/8"	06	3/8-19	20,3	22,0
A55003-08-06	SN	06	10,0	3/8"	08	1/2-14	20,8	27,0
A55003-08-08	SN	08	13,0	1/2"	08	1/2-14	21,6	27,0
A55003-12-08	SN	08	13,0	1/2"	12	3/4-14	24,6	32,0
A55003-12-10	CR	10	16,0	5/8"	12	3/4-14	17,6	32,0
A55003-12-12	CR	12	19,0	3/4"	12	3/4-14	18,1	32,0
A55003-16-12	CR	12	19,0	3/4"	16	1-11	20,6	38,0
A55003-16-16	CR	16	25,0	1"	16	1-11	19,9	38,0

// 552910 - OCCHIO BSPP- RNR


// BSPP BANJO - RNR



Code	Nut Type	ID			F1	F1	C	BH	R
		Dash	mm	In					
552910-02-04	NA	04	6,0	1/4"	02	1/8-28	20,0	10,10	17
552910-04-04	NA	04	6,0	1/4"	04	1/4-19	26,5	13,30	22
552910-06-04	NA	04	6,0	1/4"	06	3/8-19	30,5	16,70	28
552910-06-05	NA	05	8,0	5/16"	06	3/8-19	30,5	16,70	28
552910-06-06	NA	06	10,0	3/8"	06	3/8-19	30,5	16,70	28
552910-08-06	NA	06	10,0	3/8"	08	1/2-14	34,5	21,00	38
552910-06-08	NA	08	13,0	1/2"	06	3/8-19	30,5	16,70	28
552910-08-08	NA	08	13,0	1/2"	08	1/2-14	35,0	21,00	38
552910-10-10	NA	10	16,0	5/8"	10	5/8-14	38,0	23,00	40
552910-12-12	NA	12	19,0	3/4"	12	3/4-14	41,5	26,50	46
552910-16-16	NA	16	25,0	1"	16	1-11	50,5	33,30	58

// 002920 - VITE FORATA BSPP


// BSPP BOLT



Code	F1	F1	CH	LT	L
	Dash		mm	mm	mm
002920-04	04	1/4-19	19,0	25,0	30,0
002920-06	06	3/8-19	22,0	31,0	38,0
002920-08	08	1/2-14	27,0	38,0	46,0
002920-10	10	5/8-14	28,0	42,0	51,0
002920-12	12	3/4-14	32,0	47,0	56,0
002920-16	16	1-11	38,0	58,0	69,0

// DD2920 - VITE FORATA BSPP DOPPIA

// BSPP DUAL BOLT



Code	F1	F1	CH	LT	L
	Dash		mm	mm	mm
DD2920-04	02	1/8	14,0	33,0	38,0
DD2920-06	04	1/4	19,0	43,0	49,0
DD2920-08	06	3/8	22,0	51,0	58,0
DD2920-10	08	1/2	27,0	63,0	71,0
DD2920-12	12	3/4	32,0	80,0	90,0
DD2920-16	16	1	41,0	110,0	122,0