



// POWERTRAK EXTRA - INSERTI FLANGE SAE SAE FLANGES

// 390250 - FLANGIA SAE 3000 PSI J518 CODE 61 - SFL

// FLANGE SAE 3000 PSI J518 CODE 61 - SFL



Code	ID			Flange	Flange Size	FD	T	C	WP
	Dash	mm	In	Dash Size		mm	mm	mm	psi
390250-12-12	12	19,0	3/4"	12	3/4	38,1	6,5	39,5	5000
390250-16-16	16	25,0	1"	16	1	44,5	8,0	54,1	5000
390250-16-20	20	32,0	1 1/4"	16	1	44,5	8,0	TBD	5000
390250-20-16	16	25,0	1"	20	1 1/4	50,8	8,0	56,6	5000
390250-20-20	20	32,0	1 1/4"	20	1 1/4	50,8	8,0	57,5	3000
390250-20-24	24	38,0	1 1/2"	20	1 1/4	50,8	8,0	54,5	5000
390250-24-20	20	32,0	1 1/4"	24	1 1/2	60,3	8,0	60,4	5000
390250-24-24	24	38,0	1 1/2"	24	1 1/2	60,3	8,0	62,5	5000
390250-32-24	24	38,0	1 1/2"	32	2	71,4	9,5	62,5	5000
390250-32-32	32	50,0	2"	32	2	71,4	9,5	79,2	3000




// 39B370 - FLANGIA 45° SAE 3000 PSI J518 CODE 61 - SFL 45


// 45° FLANGE SAE 3000 PSI J518 CODE 61 - SFL 45

Code	ID			Flange	Flange Size	FD	T	C	D Drop	WP
	Dash	mm	In	Dash Size		mm	mm	mm	mm	psi
39B370-12-12	12	19,0	3/4"	12	3/4	38,1	6,5	TBD	TBD	TBD
39B370-16-12	12	19,0	3/4"	16	1	44,5	8,0	TBD	TBD	TBD
39B370-16-16	16	25,0	1"	16	1	44,5	8,0	TBD	TBD	TBD
39B370-20-16	16	25,0	1"	20	1 1/4	50,8	8,0	99,0	32,5	3000
39B370-20-20	20	32,0	1" 1/4	20	1 1/4	50,8	8,0	103,0	38,5	5000
39B370-24-20	20	32,0	1" 1/4	24	1 1/2	60,3	8,0	99,0	40,0	3000
39B370-24-24	24	38,0	1" 1/2	24	1 1/2	60,3	8,0	111,0	43,0	3000
39B370-32-32	32	50,0	2"	32	2	71,4	9,5	154,0	54,0	5000

// 39B380 - FLANGIA 90° SAE 3000 PSI J518 CODE 61 - SFL 90
// 90° FLANGE SAE 3000 PSI J518 CODE 61 - SFL 90



Code	ID			Flange	Flange Size	FD	T	C	D Drop	WP
	Dash	mm	In	Dash Size		mm	mm	mm	mm	psi
39B380-12-12	12	19,0	3/4"	12	3/4	38,1	6,5	TBD	TBD	TBD
39B380-12-16	16	25,0	1"	12	3/4	38,1	6,5	TBD	TBD	TBD
39B380-16-12	12	19,0	3/4"	16	1	44,5	8,0	TBD	TBD	TBD
39B380-16-16	16	25,0	1"	16	1	44,5	8,0	79,0	64,0	5000
39B380-16-20	20	32,0	1 1/4"	16	1	44,5	8,0	TBD	TBD	TBD
39B380-20-16	16	25,0	1"	20	1 1/4	50,8	8,0	75,0	69,0	3000
39B380-20-20	20	32,0	1 1/4"	20	1 1/4	50,8	8,0	91,0	81,0	5000
39B380-20-24	24	38,0	1 1/2"	20	1 1/4	50,8	8,0	TBD	TBD	TBD
39B380-24-20	20	32,0	1 1/4"	24	1 1/2	60,3	8,0	87,0	85,0	5000
39B380-24-24	24	38,0	1 1/2"	24	1 1/2	60,3	8,0	103,0	93,0	3000
39B380-32-24	24	38,0	1 1/2"	32	2	71,4	9,5	TBD	TBD	TBD
39B380-32-32	32	50,0	2"	32	2	71,4	9,5	139,0	130,0	5000




// 39B810 - FLANGIA SAE 6000 PSI J518 CODE 62 - SFS
// FLANGE SAE 6000 PSI J518 CODE 62 - SFS

Code	ID			Flange	Flange Size	FD	T	C	WP
	Dash	mm	In	Dash Size		mm	mm	mm	psi
39B810-08-08	8	13,0	1/2"	8	1/2	31,8	8,0	43,6	6000
39B810-12-12	12	19,0	3/4"	12	3/4	41,3	9,0	53,1	6000
39B810-12-16	16	25,0	1"	12	3/4	41,3	9,0	59,1	6000
39B810-16-12	12	19,0	3/4"	16	1	47,6	9,5	56,5	6000
39B810-16-16	16	25,0	1"	16	1	47,6	9,5	59,1	6000
39B810-16-20	20	32,0	1 1/4"	16	1	47,6	9,5	60,0	6000
39B810-20-16	16	25,0	1"	20	1 1/4	54,0	10,5	66,1	6000
39B810-24-16	16	25,0	1"	24	1 1/2	63,5	12,5	71,1	6000
39B810-20-20	20	32,0	1 1/4"	20	1 1/4	54,0	10,5	59,0	6000
39B810-20-24	24	38,0	1 1/2"	20	1 1/4	54,0	10,5	70,0	6000
39B810-24-20	20	32,0	1 1/4"	24	1 1/2	63,5	12,5	74,0	6000
39B810-24-24	24	38,0	1 1/2"	24	1 1/2	63,5	12,5	63,0	6000
39B810-24-32	32	50,0	2"	24	1 1/2	63,5	12,5	*	6000
39B810-32-24	24	38,0	1 1/2"	32	2	79,4	12,5	88,0	6000
39B810-32-32	32	50,0	2"	32	2	79,4	12,5	97,2	6000

// 39B470 - FLANGIA 45° SAE 6000 PSI J518 CODE 62 - SFS 45


// 45° FLANGE SAE 6000 PSI J518 CODE 62 - SFS 45



Code	ID			Flange	Flange Size	FD	T	C	D Drop	WP
	Dash	mm	In	Dash Size		mm	mm	mm	mm	psi
39B470-08-08	8	13,0	1/2"	8	1/2	31,8	8,0	56	23	6000
39B470-12-12	12	19,0	3/4"	12	3/4	41,3	9,0	75,0	30,0	6000
39B470-12-16	16	25,0	1"	12	3/4	41,3	9,0	77,0	29,5	6000
39B470-16-12	12	19,0	3/4"	16	1	47,6	9,5	81,0	33,0	6000
39B470-16-16	16	25,0	1"	16	1	47,6	9,5	98,0	38,5	6000
39B470-16-20	20	32,0	1 1/4"	16	1	47,6	9,5	97,0	34,0	6000
39B470-20-16	16	25,0	1"	20	1 1/4	54,0	10,5	96,0	44,0	6000
39B470-20-20	20	32,0	1 1/4"	20	1 1/4	54,0	10,5	102,0	41,0	6000
39B470-24-20	20	32,0	1 1/4"	24	1 1/2	63,5	12,5	117,0	48,0	6000
39B470-24-24	24	38,0	1 1/2"	24	1 1/2	63,5	12,5	143,0	48,0	6000
39B470-32-24	24	38,0	1 1/2"	32	2	79,4	12,5	TBD	TBD	6000
39B470-32-32	32	50,0	2"	32	2	79,4	12,5	177,0	61,0	6000

// 39B480 - FLANGIA 90° SAE 6000 PSI J518 CODE 62 - SFS 90

// 90° FLANGE SAE 6000 PSI J518 CODE 62 - SFS 90



Code	ID			Flange	Flange Size	FD	T	C	D Drop	WP
	Dash	mm	In	Dash Size		mm	mm	mm	mm	psi
39B480-12-12	12	19,0	3/4"	12	3/4	41,3	9,0	65,0	64,0	6000
39B480-12-16	16	25,0	1"	12	3/4	41,3	9,0	75,0	61,0	6000
39B480-16-12	12	19,0	3/4"	16	1	47,6	9,5	65,0	66,0	6000
39B480-16-16	16	25,0	1"	16	1	47,6	9,5	75,0	74,0	6000
39B480-16-20	20	32,0	1 1/4"	16	1	47,6	9,5	86,0	72,0	6000
39B480-20-16	16	25,0	1"	20	1 1/4	54,0	10,5	79,0	85,0	6000
39B480-20-20	20	32,0	1 1/4"	20	1 1/4	54,0	10,5	96,0	91,0	6000
39B480-20-24	24	38,0	1 1/2"	20	1 1/4	54,0	10,5	TBD	TBD	6000
39B480-24-20	20	32,0	1 1/4"	24	101/2	63,5	12,5	99,0	103,5	6000
39B480-24-24	24	38,0	1 1/2"	24	1 1/2	63,5	12,5	114,0	109,0	6000
39B480-32-24	24	38,0	1 1/2"	32	2	79,4	12,5	TBD	TBD	6000
39B480-32-32	32	50,0	2"	32	2	79,4	12,5	168,0	134,0	6000